

10/083629

copy

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. US 6,854,049 B2 )  
COFLER )

Issued: FEBRUARY 8, 2005 )

For: METHOD OF HANDLING INSTRUCTIONS )  
WITHIN A PROCESSOR WITH DECOUPLED )  
ARCHITECTURE, IN PARTICULAR A )  
PROCESSOR FOR DIGITAL SIGNAL )  
PROCESSING, AND CORRESPONDING )  
PROCESSOR )

Certificate  
JUN 13 2005  
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF  
OFFICE MISTAKE UNDER RULE 1.322(a)

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of Rule 1.322(a) of the Rules of Practice, the Patent Office is respectfully requested to correct matters in the above-identified patent in accordance with the Certificate of Correction Form PTO-1050 attached hereto.

The Patent Office is requested to issue a Certificate of Correction on the above-referenced Patent Document, and to place such a Certificate of Correction in the file, so that such will appear on any copies of the patent which are ordered in the future.

The correction being made is of consequence to provide the proper recitation in the specification. Moreover, since this error is believed to be error of the Patent Office, such change should be made at no expense to the Patentee. No new

In re Patent of

**ANDREW**


Patent No. **US 6,854,049 B2**

Issued: **FEBRUARY 8, 2005**

---

matter is added by this correction.

Respectfully submitted,



---

Christopher F. Regan

Reg. No. 34,906

Allen, Dyer, Doppelt, Milbrath  
& Gilchrist, P.A.

255 S. Orange Ave., Suite 1401


P. O. Box 3791

Orlando, Florida 32802

(407) 841-2330

**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on this 7<sup>th</sup> day of June, 2005.



**UNITED STATES PATENT AND TRADEMARK OFFICE**

**CERTIFICATE OF CORRECTION**

PATENT NO.	:	US 6,854,049 B2
DATED	:	February 8, 2005
INVENTOR(S)	:	Andrew Cofler

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below

Column 11, Line 41

Delete: "Rx + LDQ"

Insert: -- Rx = LDQ --

MAILING ADDRESS OF SENDER:

Christopher F. Regan  
Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.  
255 S. Orange Avenue - Suite 1401  
P.O. Box 3791  
Orlando, FL 32802-3791  
PHONE : (407) 841-2330

PATENT NO. US 6,854,049 B2

JUN 13 2005